STATE OF CALIFORNIA

CALIFORNIA INTEGRATED WASTE MANAGEMENT BOARD

Base Year Modification Request Certification

Part 1: Generation Study - No Extrapolation Diversion Data

To request a substitution for a previously approved base-year used in calculating the diversion rate for your jurisdiction, please complete and sign this form and return it to your Office of Local Assistance (OLA) representative at the address below, along with any additional information requested by OLA staff. When all documentation has been received, your OLA representative will work with you to prepare for your appearance before the Board. If you have any questions about this process, please call (916) 341-5199 to be connected to your OLA representative.

Mail completed documents to:

California integrated Waxte Management Board Office of Local Assistance 1001 | Street, 9th Floor PO Box 4025 Sacramento, CA 95812-4025

General Instructions:

Please select the ONE choice below that best explains your request to the Board.

1. Use a recent generation-based study to calculate our current reporting-year generation amount, but not officially change our existing Board-approved base year.

2. Use a recent generation-based study to officially change our existing Board-approved base year to a new base year.

The shaded cells on these sheets are protected, If you have problems using these sheets, please contact your Office of Local Assistance representative.

certify under penalty of perjury that the informa-	ion in this document is	true and correct	to the best of my	
crowledge, and that I am authorized to make this	s certification on behalf	of:	•	
uriediation Name	County			
Vettlake Village	Los Angeles			
Authorized Signature M. Poli	1 (cu	nting Co	oldinator	
ype/Print Name of Person Signing	Date	Phon	a (24 Bride Area Code	
David M1. Polis	6/20/2	.00/ 5	75-4979	
inner Completing This Forth (chause print of type)	THO Racyc	Ling Cook	diator	
Mission: Contract employee	5, NCR 1999			
Jailing Address	City	State	ZIP Code	
2136 PAloman Avenue V	entura	CA	93001	